

For perchloroethylene dry cleaners

Facility Name	
KDHE Registration Number	
Hazardous Waste Generator Category	
EPA ID (if any)	
Date of machine installation	



### Kansas Small Business Environmental Assistance Program

For confidential technical assistance, call 800-578-8898 or email sbeap@ksu.edu www.sbeap.org

Paid for in part by the Kansas Department of Health and Environment

### Kansas Department of Health and Environment Contact Information

### **Bureau of Environmental Remediation**

Christopher Wierman, Unit Chief, Dryclean/Superfund Unit

Kansas Department of Health and Environment 1000 SW Jackson, Suite 410 Topeka, KS 66612

Phone: 785-296-5548

Email: Christopher.Wierman@ks.gov

www.kdhe.ks.gov/258/Dryclean-Superfund-Unit

Dry cleaners must register annually with this bureau, which administers the Kansas Drycleaner Environmental Response Act (DERA). It is a regulatory program focused on preventing spills from being released off site. It offers financial assistance for assessment and remediation activities at dry-cleaning facilities where spills (releases) have occurred.

### **Bureau of Air**

Connie Ellis, Air Compliance & Enforcement, Asbestos, Residential Lead Hazard Chief Environmental Program Admin Supervisor

Kansas Department of Health and Environment 1000 SW Jackson, Suite 310 Topeka, KS 66612

Phone: 785-296-1556 Email: Connie.Ellis@ks.gov

www.kdhe.ks.gov/243/Compliance-Enforcement

This KDHE bureau regulates air emissions. It ensures dry cleaners minimize air leaks and contaminants in order to meet KDHE (state) and EPA (federal) regulatory requirements.

### **Bureau of Waste Management**

Joe Dom, Director, Waste Management Kansas Department of Health and Environment 1000 SW Jackson, Suite 320 Topeka, KS 66612

Phone: 785-296-1612 Email: Joseph.Dom@ks.gov"

### www.kdhe.ks.gov/168/Waste

This bureau regulates storage and disposal of solid and hazardous waste in accordance with KDHE (state) and EPA (federal) regulations.

### **Small Business/Pollution Prevention**

Leo G. Henning, Ombudsman Services KDHE Deputy Secretary and Director of Environment

Kansas Department of Health and Environment 1000 SW Jackson, Suite 430 Topeka, KS 66612

Phone: 785-296-1535 Email: Leo.Henning@ks.gov

www.kdhe.ks.gov/894/Pollution-Prevention-Small-Business-Supp

This KDHE division along with K-State's Pollution Prevention Institute provides free and confidential help to state's small businesses. These services are provided to assist Kansas business in complying (and going beyond compliance) with environmental regulations, including answers to questions, on-site assessments, pollution prevention technologies, workshops, and publications. Contact this group with general questions about your permit, whom to best answer your questions or pollution prevention technologies.

# PLEASE READ 무매 읽어 주십시오 请仔细阅读 XIN VUI LÒNG ĐỌC

with the English language, please find someone who can help you read this calendar. someone from this program will come to your shop and teach you what you must do. If you have difficulty Program at 800-578-8898 or sbeap@ksu.edu. This is a free and confidential program. If you would like, five years. If you have a question, please contact the Kansas Small Business Environmental Assistance by law. Check that you have the correct calendar for each machine. Calendars must be kept on file for at least regulations. This calendar will help you understand what you must do and record information that is required IMPORTANT: As a dry cleaner owner or operator in Kansas, you must follow certain environmental

중요: 캔사스주의 도와줄 사람을 찾으십시오 방문하여 귀하가 해야 할 프로그램은 무료이며 비밀을 보장합니다. 원하실 캔사스 소기업 환경지원 프로그램 800-578-8898 또는 sbeap@ksu.edu 로 각 기계 당 정확한 달력이 있는 지 확인하십시오. 달력은 최소 5년간 보관해야 합니다. 질문이 있으시면 합니다. 이 달력은 귀하가 반드시 해야 하는 사항과 법에서 요구하는 드라이 클리너 인 이미 안내합니다. 영어 사용에 어려움이 있으시면, 이 달력을 읽을 수유주 旧 영업자이신 귀하는 특정 경우, 이 프로그램 담당자가 귀하의 영업장소를 정보를 기록하도록 도와드립니다. <u>%</u> 연락 주십시오. 이 규정을 반드 시 준수해야 ⊣≻ 있 귀 ШĹ

# 重要提示:

如有疑问,请联系肯萨斯州小企业环境援助计划,电话800-578-照法律规定登记信息。请核实每台干洗机都有准确无误的记录。 肯萨斯州干洗店的店主或员工,必须遵守相应的环保条例。本记录能帮您了解您要履行的义务, 所有记录必须有至少五年的存档备案。 以及按

8898, 邮箱地址sbeap@ksu.edu。本项目提供无偿服务,对客户保密。如需帮助, 贵处协助相关事宜。 如有英语语言沟通困难, 请他人代为阅读。 本项目工作人员会前往

quý vị và chỉ dẫn cho quý vị những gì quý vị phải làm. Nếu quý vị bị khó khăn với tiếng Anh, xin vui lòng tìm một ai đó có thể giúp quý vị đọc lịch này. chương trình miễn phí và bảo mật. Nêu quý vị muốn, một người từ chương trình này sẽ đến tiệm của trường Doanh nghiệp Nhỏ của Kansas theo số 800-578-8898 hoặc sbeap@ksu.edu. Đây là một trong hồ sơ ít nhất **năm** năm. Nếu quý vị có cậu hỏi, xin vui lòng liên hệ Chương trình Hỗ trợ Môi **QUAN TRỌNG:** Là chủ nhân hoặc người điều hành một tiệm giặt khô ở Kansas, quý vị phải tuân thủ một số quy định về môi trường. Lịch này sẽ giúp quý vị hiểu những gì quý vị phải làm và ghi lại thông tin mà luật pháp yêu cầu. Hãy kiểm tra rằng quý vị có đúng lịch cho mỗi máy. Các lịch phải được giữ

कृपया किसी को खोजें जो इस कैलेंडर को पढ़ने में आपकी मदद कर सके दुकान पर आ जाएगा और सिखा देगा कि आपको क्या करना चाहिए| यदि आपको अंग्रेजी भाषा के साथ कठिनाई होती है, तो जाँच करें कि आपके पास प्रत्येक मशीन के लिए सही कैलेंडर है| कैलेंडर कम से कम **पांच** साल के लिए फ़ाइल पर रखा जाना कैलेंडर, आपको क्या करना चाहिये उसे समझनें और उस जानकारी को रिकार्ड करनें में मदद करेगा जो कि कानून द्वारा अपेक्षित है **महत्वपूर्ण:** केन्सास में एक ड्राई क्लीनर मालिक या ऑपरेटर के रूप में, आपको कुछ पर्यावरण नियमों का पालन करना चाहिए| यह <u>sbeap@ksu.edu</u>. पर संपर्क करें| यह एक स्वतंत्र और गोपनीय कार्यक्रम है| यदि आप चाहते हैं, तो इस कार्यक्रम से कोई आपकी चाहिए| यदि आप कोई सवाल पूछना चाहते है, कृपया केन्सास लघु व्यापार पर्यावरण सहायता कार्यक्रम को 800-578-8898 या

### Instructions for Use

### **GENERAL**

Kansas dry cleaners are regulated under three different environmental compliance programs — the Kansas Drycleaner Environmental Response Act (DERA), hazardous air pollutants (NESHAP) and hazardous waste. This calendar is designed to help keep records required by all three programs. NESHAP and DERA records must be kept at your facility for a minimum of five years and the hazardous waste records for three years, so we recommend keeping all records for five years. Use a separate calendar for each perchloroethylene (perc) machine. A different compliance calendar exists for non-perc users. Secondary containment is required around each dry cleaner unit, solvent storage area and dry-cleaning waste area.

### **DERA AND HAZARDOUS WASTE INSPECTIONS**

All dry cleaners must register annually in January with the KDHE Bureau of Environmental Remediation. Secondary containment structures must be made of steel, epoxy or polyethylene and be large enough to accommodate a worst-case spill. Conduct weekly inspections of the secondary containment, and each storage container and storage area. Sign the inspection logs provided in the calendar for each month. Make a note on the corrective action forms of any problems found, what was done to correct each problem, the date each problem was corrected and who corrected it. Use the envelope at the back of the calendar to store hazardous waste and perc purchase receipts. Follow the pollution prevention guidelines listed at the back of the calendar. A users' guide is available at <a href="www.kdhe.ks.gov/DocumentCenter/View/12062/Perchloroethylene-Facility-Guide-PDF">www.kdhe.ks.gov/DocumentCenter/View/12062/Perchloroethylene-Facility-Guide-PDF</a>.

### SEPARATOR WATER AND EVAPORATION SYSTEMS

Separator water (and/or dry-cleaning wastewater) cannot be drained in the sanitary sewer. In Kansas, evaporating separator water in a heated evaporation unit, or a non-thermal unit that utilizes air atomization or misting at your facility is allowed, provided the separator water contains no free-phase (dissolved or suspended) dry-cleaning solvent. Do not store separator water (and/or dry-cleaning wastewater) at a facility for more than 60 days.

### HAZARDOUS WASTE

Perc dry cleaners must document their hazardous waste determination for each waste stream — use the form found at the back of this calendar or visit <a href="https://www.kdhe.ks.gov/DocumentCenter/View/4985/Waste-Determination-Form-PDF">www.kdhe.ks.gov/DocumentCenter/View/4985/Waste-Determination-Form-PDF</a>. Label hazardous waste containers with the words "Hazardous waste" and date

appropriately if hazardous waste is accumulated for more than 72 hours at a facility. If separator water contains free-phase (dissolved or suspended) perc, it must be managed as a hazardous waste. If it does not, then it can be evaporated in a heated evaporation unit or air-atomized mister. Have hazardous waste hauled by a licensed hazardous waste transporter and maintain copies of the manifests in the envelope at the back of this calendar.

### **CORRECTIVE ACTION FORMS**

Fill out corrective action forms at the back of this calendar if there was any repair on your machine. If more forms are needed, make copies of the blank form, print it from the online calendar or contact SBEAP. These forms can be maintained in the envelope at the back of the calendar.

### **EMERGENCY CONTACT FORM**

Post emergency numbers by the telephone (see envelope in the back of calendar for this form) as required for hazardous waste generators.

### FOR MORE INFORMATION

For technical assistance and more dry-cleaner information contact SBEAP at 800-578-8898 or <a href="mailto:sbeap@ksu.edu">sbeap@ksu.edu</a>. Several publications and useful tools are available on the dry-cleaner industry resource page at <a href="mailto:sbeap.org/dry-cleaners">sbeap.org/dry-cleaners</a>.

New registrations, registration renewals and facility closures can be submitted through the Kansas Environmental Information Management System (KEIMS) at <a href="https://www.kdhe.ks.gov/1122/Kansas-Environmental-Information-Managem">www.kdhe.ks.gov/1122/Kansas-Environmental-Information-Managem</a>.

Kansas dry-cleaner facility closure confirmation form can be found at <a href="https://www.kdhe.ks.gov/DocumentCenter/View/12060/Kansas-Dry-Cleaning-Facility-Closure-Confirmation-PDF">www.kdhe.ks.gov/DocumentCenter/View/12060/Kansas-Dry-Cleaning-Facility-Closure-Confirmation-PDF</a>.

Both SBEAP and KDHE Dry-Cleaning Program websites have electronic copies of compliance calendars and The Kansas Dry Cleaners Manual, a manual that assists with understanding environmental requirements for Kansas dry cleaners.

The KDHE Hazardous Waste Generator Handbook, as well as other helpful hazardous waste forms and technical guidance documents, are available on KDHE's website at <a href="https://www.kdhe.ks.gov/602/Hazardous-Waste-Generators-Transporters">www.kdhe.ks.gov/602/Hazardous-Waste-Generators-Transporters</a>.

# Instructions for Use

### Kansas air quality requirements for perchloroethylene dry cleaning facilities


Requirement summary	Small area source	Large area source	Major sources (none in KS as of 2019)	
Dry-to-dry facilities	Purchase less than 140 gallons perc/year	Purchase 140-2,100 gallons perc/year	Purchase more than 2,100 gallons perc/year	
Process vent control				
Constructed or reconstructed before Dec.9, 1991	Dry-to-dry machine	Dry-to-dry machines with refrigerated co can remain; it does not have to be replace	ndenser;** carbon adsorber installed before Sept. 22, 1993, ed by a refrigerated condenser.	
On or after Dec.9, 1991, but before Dec. 21, 2005	Dry-to-dry machine with refrigerated condenser	Dry-to dry machine, refrigerated condenser** followed by carbon adsorber** operated immediately before or as the door is opened		
On or after Dec. 21, 2005	Dry-to-dry machine with refrigerated condenser**	followed by carbon adsorber** operated i	mmediately before the door is opened	
On or after Dec. 21, 2022	In addition to the requirements above, perc dry-cle	eaning systems are not allowed to be located	d in a building with a residence.	
Fugitive control				
	Sealed containers; leak detection/repair			
Monitoring				
	Refrigerated condenser: Take and record weekly readings of either temperature or pressure readings. If measuring temperature, take readings of the outlet temperature before the end of the cool-down or drying cycle while the gas-vapor stream is flowing through the condenser. Take pressure readings during the drying phase to confirm the value is within manufacturers' operating instructions. Carbon adsorber: If required, measure the concentration of perc in the carbon adsorber weekly using a colorimetric detector tube or a perc gas analyzer. Measurement should be taken at the end of the last dry cycle.			
Inspections				
	While machine is operating, inspect weekly for perceptible leaks (those that can be seen, felt or smelled). Inspect for vapor leaks monthly using a halogenated hydrocarbon detector or a perc gas analyzer. Repair leaks and maintain records.  Inspect weekly for perceptible leaks. Inspect for vapor a monthly basis using a perc gas analyzer and o according to EPA Method 21. Repair leaks and maintain records.			
Reporting				
	Submit a notification of compliance status form wi Contact SBEAP for form.	thin 30 days of startup. This notification is re	equired when a new machine is installed at an existing site.	

## 10 Tips for Using Your Perc Detector

(Halogenated hydrocarbon detector or perchloroethylene gas analyzer)

- 1. Don't forget to inspect for leaks with the perc detector once a month. If a vapor leak is detected, you are required to document the leak and repair it within 24 hours, unless parts must be ordered. If parts must be ordered, you must repair vapor leaks within five days of receiving the part(s).
- 2. Figure out how it should be calibrated. Work with your supplier to be certain of this! Most require fresh air prior to testing for leaks. It is recommended you calibrate the leak detector outside of your shop. If you turn it on near a leak, it may calibrate incorrectly. For example, if there is a leak of 100 parts per million (ppm) and you turn the detector on near that leak, it will reset its "zero-point" to 100 ppm and will not detect leaks any smaller than that.







6. Inspect all of the following components:

a. Hose and pipe connections, fittings, couplings and valves

c. Filter gaskets and seating

d. Pumps

f. Water separators a. Muck cookers i. Exhaust dampers i. Diverter valves

b. Door gaskets and seating

e. Solvent tanks and containers

h. Stills

- 7. If the detector beeps rapidly, you may have a leak. Go back to the area where you first detected the beeps. You want to find the exact spot where the detector reliably beeps, so you know the precise part or location to repair.
- 8. If the instrument detects a perc vapor leak or is set off, make sure to air it out before continuing the inspection. Otherwise, you may have mixed or incorrect results.
- 9. The detector must be able to detect vapor concentrations of 25 ppm by volume. It must also either emit an audible or visual signal that varies as the concentration level changes.
- 10. Keep the perc detector away from refrigeration systems. Otherwise, a refrigerant leak may cause your detector to be set off.



## Calculating your 12-month running total


Step 1: Fill out last year's perc purchase information. Record this information from last year's calendar (2024). Refer to this page instead of looking at your old calendar each month.



12-month total from December 2024:	gal	
Jan. 2024 perc purchases: gal	May 2024 perc purchases: gal	Sept. 2024 perc purchases: gal
Feb. 2024 perc purchases: gal	June 2024 perc purchases: gal	Oct. 2024 perc purchases: gal
Mar. 2024 perc purchases: gal	July 2024 perc purchases: gal	Nov. 2024 perc purchases: gal
Apr. 2024 perc purchases: gal	Aug. 2024 perc purchases: gal	Dec. 2024 perc purchases:gal

It is the total amount of perc you purchased in the previous 12 months.

Step 2: Take a look at this example for May 2025.



Step 3: Fill out your calendar. Refer to this page instead of looking at your old calendar each month.

Determine each month's 12-month running total as the year continues. **Make sure to keep all receipts on site for five years.**Continue to refer back to this page for last year's perc purchases. For further assistance, call SBEAP at 800-578-8898.

# **JANUARY**

PERC PURCHASE RUNNING TOTAL					
12-month total from last r	month (Dec. '24)	=			
Subtract perc purchased Ja	an. '24 (see pg. 5)	=			
Subtotal		=			
This month's perc purchases*					
Date	Gallons				
January 2025 perc total					
Current 12-month running total (Subtotal + January 2025 total)					

CAF	CARBON ABSORBER/CONDENSER MONITORING LOG See "Instructions for Use" on Page 2						
Date	Perc Concentration	During Dry High pressure reading (psi or bar)	Low pressure reading (psi or bar)	Is pressure within manufacturing range?	Outlet temp during cool down	Is temp less than or equal to 45°F (7.2°C)?	
1/2				Y / N		Y / N	
1/8				Y / N		Y / N	
1/15				Y / N		Y / N	
1/22				Y / N		Y / N	
1/29				Y / N		Y / N	

	WEEKLY INSPECTION				
DATE					
TIME					
HAZARDOUS WAST	E				
Are containers in good cond	Y/N	Y/N	Y/N	Y / N	
Are waste containers made	of appropriate material?	Y/N	Y/N	Y/N	Y / N
Are containers tightly closed	?	Y/N	Y/N	Y/N	Y / N
Are individual containers cle waste was first put into the	arly labeled as "Hazardous Waste" and the date container?	Y / N	Y/N	Y / N	Y / N
CONTAINMENT ARE	A				
Is wastewater stored no long	ger than 60 days?	Y/N	Y/N	Y/N	Y / N
Is secondary containment arou	und each machine in good condition?	Y/N	Y/N	Y/N	Y / N
Is hazardous waste and solve	nt storage secondary containment in good condition?	Y/N	Y/N	Y/N	Y / N
ARE THE FOLLOWIN	G ITEMS LEAK-FREE?				
Method of inspection (S or E	S/D	S/D	S/D	S/D	
Hose and pipe connections,	Y/N	Y/N	Y/N	Y / N	
Door gasket and seal		Y/N	Y/N	Y/N	Y / N
Pump		Y/N	Y/N	Y/N	Y / N
Solvent tank and containers		Y/N	Y/N	Y/N	Y / N
Water separator		Y/N	Y/N	Y/N	Y / N
Muck cooker		Y/N	Y/N	Y/N	Y / N
Still		Y/N	Y/N	Y/N	Y / N
Exhaust damper		Y / N	Y/N	Y/N	Y / N
Diverter valve	Y/N	Y/N	Y/N	Y / N	
Filter gasket and seal	Y/N	Y/N	Y/N	Y / N	
Cartridge filter housing		Y/N	Y/N	Y/N	Y / N
*S= SIGHT, SMELL OR FEEL	Week 1 inspected by				
D= DETECTOR (REQUIRED AT LEAST ONCE EACH MONTH)	Week 2 inspected by				
once Enermonny	Week 3 inspected by				
f "N" is answered above, fill	fill Week 4 inspected by				

Week 5 inspected by \_\_\_\_\_

out the corrective action form

on the back of this calendar.

<sup>\*</sup>Keep receipts in envelope at back of calendar.



# 



Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
machine's maintenance mar Record here	ast year's calendar to this year's cal nual and record the manufacturer's eded to determine whether you are	s specified range for pressure.	1 New Year's Day	WEEKLY INSPECTION   CARBON ADSORBER/ CONDENSER LOG	3	4
5	6	7	8 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	9	10	11
12	13	14	15  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	16	17	18
19	Martin Luther King Jr. Day	21	<b>22</b> WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	23	24	25
26	27	28	WEEKLY INSPECTION ☐  CARBON ADSORBER/ CONDENSER LOG ☐	30	REGISTRATION DUE TO KDHE	1





# **FEBRUARY**

PERC PURCHASE RUNNING TOTAL						
12-month total from last r	nonth (Jan. '25)	=				
Subtract perc purchased Fo	eb. '24 (see pg. 5)	=				
Subtotal						
This month's perc purchases*						
Date	Gallons					
February 2025 perc total						
Current 12-month running total (Subtotal + February 2025 total)						

CAF	CARBON ABSORBER/CONDENSER MONITORING LOG See "Instructions for Use" on Page 2						
Date	Perc Concentration	High pressure reading (psi or	Low pressure reading (psi or	Is pressure within manufacturing range?	Outlet temp during cool down	Is temp less than or equal to 45°F (7.2°C)?	
2/5		bar)	bar)	Y / N		Y / N	
2/12				Y / N		Y / N	
2/19				Y / N		Y / N	
2/26				Y / N		Y / N	

	WEEKLY INSPECTION				
DATE					
TIME					
HAZARDOUS WASTI	E				
Are containers in good condi	tion?	Y / N	Y/N	Y/N	Y / N
Are waste containers made of	of appropriate material?	Y / N	Y/N	Y/N	Y / N
Are containers tightly closed	?	Y / N	Y/N	Y/N	Y / N
Are individual containers clea	arly labeled as "Hazardous Waste" and the date	Y/N	Y/N	Y/N	Y / N
waste was first put into the	container?	1 / N	1 / N	1 / N	1 / 1
CONTAINMENT AREA	A				
Is wastewater stored no long	ger than 60 days?	Y / N	Y/N	Y/N	Y / N
Is secondary containment arou	nd each machine in good condition?	Y/N	Y/N	Y/N	Y / N
Is hazardous waste and solver	nt storage secondary containment in good condition?	Y/N	Y/N	Y/N	Y/N
ARE THE FOLLOWIN	G ITEMS LEAK-FREE?				
Method of inspection (S or D	**)	S/D	S/D	S/D	S/D
Hose and pipe connections,	fittings, couplings and valves	Y/N	Y/N	Y/N	Y/N
Door gasket and seal		Y / N	Y/N	Y/N	Y / N
Pump		Y / N	Y/N	Y/N	Y/N
Solvent tank and containers		Y / N	Y/N	Y/N	Y / N
Water separator		Y / N	Y/N	Y/N	Y / N
Muck cooker		Y / N	Y/N	Y/N	Y / N
Still		Y/N	Y/N	Y/N	Y/N
Exhaust damper		Y/N	Y/N	Y/N	Y/N
Diverter valve		Y / N	Y/N	Y/N	Y/N
Filter gasket and seal	Y / N	Y/N	Y/N	Y/N	
Cartridge filter housing		Y/N	Y/N	Y/N	Y/N
**S= SIGHT, SMELL OR FEEL D= DETECTOR (REQUIRED AT LEAST ONCE EACH MONTH)	Week 1 inspected by				<u> </u>
If "N" is answered above, fill out the corrective action form	Week 3 inspected by				
on the back of this calendar.					

<sup>\*</sup>Keep receipts in envelope at back of calendar.



Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
26	27	28	29	30	31	1
2	3	4	5  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	6	7	8
9	10	11	12  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	13	14 Valentine's Day	15
16	17 President's Day	18	19  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	20	21	22
23	24	25	26  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	27	28	1





# MARCH

PERC PURCHASE RUNNING TOTAL					
12-month total from last r	nonth (Feb. '25)	=			
Subtract perc purchased M	arch '24 (see pg. 5)	=			
Subtotal					
This month's perc purchases*					
Date	Gallons				
March 2025 perc total					
Current 12-month running total (Subtotal + March 2025 total)					

CAF	CARBON ABSORBER/CONDENSER MONITORING LOG See "Instructions for Use" on Page 2								
Date	Perc Concentration	During Dry High pressure reading (psi or bar)	Low pressure reading (psi or bar)	Is pressure within manufacturing range?	Outlet temp during cool down	Is temp less than or equal to 45°F (7.2°C)?			
3/5				Y / N		Y/N			
3/12				Y / N		Y/N			
3/19				Y / N		Y/N			
3/26				Y / N		Y/N			

	WEEKLY INSPECTION				
DATE					
TIME					
HAZARDOUS WASTE					
Are containers in good condi	tion?	Y / N	Y/N	Y/N	Y/N
Are waste containers made o	f appropriate material?	Y/N	Y/N	Y/N	Y/N
Are containers tightly closed?	,	Y/N	Y/N	Y/N	Y/N
Are individual containers clear waste was first put into the c	rly labeled as "Hazardous Waste" and the date ontainer?	Y/N	Y/N	Y/N	Y/N
CONTAINMENT AREA	A				
Is wastewater stored no long	er than 60 days?	Y / N	Y/N	Y/N	Y/N
Is secondary containment arou	nd each machine in good condition?	Y / N	Y/N	Y/N	Y/N
Is hazardous waste and solven	t storage secondary containment in good condition?	Y / N	Y/N	Y/N	Y/N
ARE THE FOLLOWING	G ITEMS LEAK-FREE?	·			
Method of inspection (S or D	**)	S/D	S/D	S/D	S/D
Hose and pipe connections, f	ittings, couplings and valves	Y / N	Y/N	Y/N	Y/N
Door gasket and seal		Y/N	Y/N	Y/N	Y/N
Pump		Y/N	Y/N	Y/N	Y/N
Solvent tank and containers		Y / N	Y/N	Y/N	Y/N
Water separator		Y / N	Y/N	Y/N	Y/N
Muck cooker		Y / N	Y/N	Y/N	Y/N
Still		Y / N	Y/N	Y/N	Y/N
Exhaust damper		Y / N	Y/N	Y/N	Y / N
Diverter valve		Y / N	Y/N	Y/N	Y/N
Filter gasket and seal		Y / N	Y/N	Y/N	Y/N
Cartridge filter housing		Y/N	Y/N	Y/N	Y/N
**S= SIGHT, SMELL OR FEEL D= DETECTOR (REQUIRED AT LEAST ONCE EACH MONTH)	Week 1 inspected by Week 2 inspected by				
If "N" is answered above, fill out the corrective action form on the back of this calendar.	Week 3 inspected by Week 4 inspected by				

<sup>\*</sup>Keep receipts in envelope at back of calendar.



# **MARCH 2025**



Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
23	24	25	26	27	28	1
2	3	4	5  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	6	7	8
9	10	11	12  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	13	14	15
16	17 St. Patrick's Day	18	19  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	20	21	22
30	24	25	26  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	27	28	29



The Kansas Dry-Cleaner Manual has environmental regulatory information presented in an easy-to-read format. For a new copy, call 800-578-8898 or visit <a href="https://www.sbeap.org/sites/sbeap/files/publications/drycleaner-manual-22.pdf">www.sbeap.org/sites/sbeap/files/publications/drycleaner-manual-22.pdf</a>.





PERC PURCHASE RUNNING TOTAL							
12-month total from last	month (March '25)	=					
Subtract perc purchased A	April '24 (see pg. 5)	=					
Subtotal		=					
This month's perc purchas	ses*						
Date	Gallons						
April 2025 perc total							
Current 12-month running total (Subtotal + April 2025 total)							

<sup>\*</sup>Keep receipts in envelope at back of calendar.

CAF	CARBON ABSORBER/CONDENSER MONITORING LOG See "Instructions for Use" on Page 2							
Date	Perc Concentration	During Dry High pressure reading (psi or bar)	Low pressure reading (psi or bar)	ls pressure within manufacturing range?	Outlet temp during cool down	Is temp less than or equal to 45°F (7.2°C)?		
4/2				Y / N		Y / N		
4/9				Y / N		Y / N		
4/16				Y / N		Y / N		
4/23				Y / N		Y / N		
4/30				Y / N		Y / N		

DATE					
TIME					
<b>HAZARDOUS WAST</b>	E				
Are containers in good cond	lition?	Y/N	Y/N	Y/N	Y / N
Are waste containers made	of appropriate material?	Y/N	Y/N	Y/N	Y / N
Are containers tightly close	d?	Y/N	Y/N	Y/N	Y / N
Are individual containers cle	early labeled as "Hazardous Waste" and the date	Y / N	Y/N	Y/N	Y / N
waste was first put into the	container?	I / N	I / IN	1 / N	1 / 1
CONTAINMENT ARE	:A				
Is wastewater stored no lor	ger than 60 days?	Y/N	Y/N	Y/N	Y / N
Is secondary containment aro	und each machine in good condition?	Y/N	Y/N	Y/N	Y / N
Is hazardous waste and solve	ent storage secondary containment in good condition?	Y/N	Y/N	Y/N	Y / N
ARE THE FOLLOWIN	IG ITEMS LEAK-FREE?				
Method of inspection (S or	D**)	S/D	S/D	S/D	S / C
Hose and pipe connections,	fittings, couplings and valves	Y/N	Y/N	Y/N	Y / N
Door gasket and seal		Y/N	Y/N	Y/N	Y / N
Pump		Y/N	Y/N	Y/N	Y / N
Solvent tank and containers	;	Y/N	Y/N	Y/N	Y / N
Water separator		Y/N	Y/N	Y/N	Y / N
Muck cooker		Y/N	Y/N	Y/N	Y / N
Still		Y/N	Y/N	Y/N	Y / N
Exhaust damper		Y/N	Y/N	Y/N	Y / N
Diverter valve		Y/N	Y/N	Y/N	Y / N
Filter gasket and seal		Y/N	Y/N	Y/N	Y / N
Cartridge filter housing		Y/N	Y/N	Y/N	Y / N
**S= SIGHT, SMELL OR FEEL	Week 1 inspected by				
D= DETECTOR (REQUIRED AT LEAST					
ONCE EACH MONTH)					
f "N" is answered above, fill	Week 4 inspected by				
out the corrective action form	Mook Einsported by				

Week 5 inspected by \_\_\_\_\_

on the back of this calendar.



# **APRIL 2025**



Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
30	31	1	WEEKLY INSPECTION ☐  CARBON ADSORBER/ CONDENSER LOG ☐	3	4	5
6	7	8	9 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	10	11	12
13	14	15 Tax Day	16  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	17	18	19
20 Easter Sunday	21	22	23 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	24	25	26
27	28	29	30  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	1	2	3



A dike or other secondary containment structure around waste storage areas, solvent storage areas and dry-cleaning machines will help protect water quality should a leak or spill occur. Don't assume your waste can be trashed or poured down the drain! Call SBEAP for assistance.





PERC PURCHASE RUNNING TOTAL						
12-month total from last i	month (April '25)	=				
Subtract perc purchased N	Лау '24 (see pg. 5)	=				
Subtotal		=				
This month's perc purchas	es*					
Date	Gallons					
May 2025 perc total						
Current 12-month running total (Subtotal + May 2025 total)						

<sup>\*</sup>Keep receipts in envelope at back of calendar.

CAF	CARBON ABSORBER/CONDENSER MONITORING LOG See "Instructions for Use" on Page 2							
Date	Perc Concentration	During Dry High pressure reading (psi or bar)	Low pressure reading (psi or bar)	Is pressure within manufacturing range?	Outlet temp during cool down	Is temp less than or equal to 45°F (7.2°C)?		
5/7				Y / N		Y/N		
5/14				Y / N		Y / N		
5/21				Y / N		Y / N		
5/28				Y / N		Y / N		

	WEEKLY INSPECTION				
DATE	WEEKEI INSI ECTION				
TIME					
HAZARDOUS WASTE			<u> </u>		
Are containers in good condi		Y/N	Y / N	Y/N	Y/N
Are waste containers made of		Y/N		Y/N	-
Are containers tightly closed		Y/N		Y/N	
	arly labeled as "Hazardous Waste" and the date				
waste was first put into the		Y/N	Y/N	Y/N	Y/N
CONTAINMENT AREA	A	•			
Is wastewater stored no long	ger than 60 days?	Y/N	Y/N	Y/N	Y/N
Is secondary containment arou	ind each machine in good condition?	Y/N	Y/N	Y/N	Y/N
Is hazardous waste and solver	nt storage secondary containment in good condition?	Y/N	Y/N	Y/N	Y/N
ARE THE FOLLOWING	G ITEMS LEAK-FREE?		7		
Method of inspection (S or D	**)	S/D	S/D	S/D	S/D
Hose and pipe connections,	fittings, couplings and valves	Y/N	Y/N	Y/N	Y/N
Door gasket and seal		Y/N	Y/N	Y/N	Y/N
Pump		Y/N	Y/N	Y/N	Y/N
Solvent tank and containers		Y/N	Y/N	Y/N	Y/N
Water separator		Y/N	Y/N	Y/N	Y/N
Muck cooker		Y/N	Y/N	Y/N	Y/N
Still		Y/N	Y/N	Y/N	Y/N
Exhaust damper		Y/N	Y/N	Y/N	Y/N
Diverter valve		Y/N	Y/N	Y/N	Y/N
Filter gasket and seal		Y/N	Y/N	Y/N	Y/N
Cartridge filter housing		Y/N	Y/N	Y/N	Y/N
		•	•		
**S= SIGHT, SMELL OR FEEL D= DETECTOR	Week 1 inspected by				
(REQUIRED AT LEAST ONCE EACH MONTH) Week 2 inspected by					
If "N" is answered above, fill out the corrective action form					
on the hack of this calendar					



# MAY 2025



Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
27	28	29	30	1	2	3
4	5 Cinco de Mayo	6	7 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	8	9	10
11  Mother's Day	12	13	14  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	15	16	17
18	19	20	21 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	22	23	24
25	26 Memorial Day	27	28  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	29	30	31



A dike or other secondary containment structure around dry-cleaning machines, solvent and waste storage areas will help protect water quality should a leak or spill occur. Fill in the Emergency Response page (back of the calendar) and post where employees or customers can see whom to call.



# **JUNE**

PERC PURCHASE RUNNING TOTAL								
12-month total from last r	nonth (May '25)	=						
Subtract perc purchased Ju	une '24 (see pg. 5)	=						
Subtotal		=						
This month's perc purchases*								
Date	Gallons							
June 2025 perc total								
Current 12-month running total (Subtotal + June 2025 total)								

CAF	CARBON ABSORBER/CONDENSER MONITORING LOG See "Instructions for Use" on Page 2							
Date	Perc Concentration	During Dry High pressure reading (psi or bar)	Low pressure reading (psi or bar)	Is pressure within manufacturing range?	Outlet temp during cool down	Is temp less than or equal to 45°F (7.2°C)?		
6/4				Y / N		Y / N		
6/11				Y / N		Y / N		
6/18				Y / N		Y / N		
6/25				Y / N		Y / N		

	WEEKLY INSPECTION			,	
DATE	WEEKLY INSPECTION				
		1			
TIME HAZARDOUS WASTI	-				
		V / N	V / N	V / N	V / N
Are containers in good condi		Y/N	Y/N		Y/N
Are waste containers made of		Y/N	Y/N	Y/N	Y/N
Are containers tightly closed		Y/N	Y/N	Y/N	Y/N
	arly labeled as "Hazardous Waste" and the date	Y/N	Y/N	Y/N	   Y / N
waste was first put into the o					
CONTAINMENT AREA		1		I	
Is wastewater stored no long		Y/N	-	Y/N	-
Is secondary containment arou	nd each machine in good condition?	Y / N	Y/N	Y/N	Y/N
	it storage secondary containment in good condition?	Y/N	Y/N	Y/N	Y/N
ARE THE FOLLOWIN	G ITEMS LEAK-FREE?				
Method of inspection (S or D	**)	S/D	S/D	S/D	S/D
Hose and pipe connections,	fittings, couplings and valves	Y/N	Y/N	Y/N	Y/N
Door gasket and seal		Y / N	Y/N	Y/N	Y/N
Pump		Y/N	Y/N	Y/N	Y/N
Solvent tank and containers		Y/N	Y/N	Y/N	Y/N
Water separator		Y/N	Y/N	Y/N	Y/N
Muck cooker		Y/N	Y/N	Y/N	Y/N
Still		Y/N	Y/N	Y/N	Y/N
Exhaust damper		Y/N	Y/N	Y/N	Y/N
Diverter valve		Y/N	Y/N	Y/N	Y/N
Filter gasket and seal		Y/N	Y/N	Y/N	Y/N
Cartridge filter housing		Y/N	Y/N	Y/N	Y/N
<u> </u>					
**S= SIGHT, SMELL OR FEEL D= DETECTOR	Week 1 inspected by				
(REQUIRED AT LEAST ONCE EACH MONTH) Week 2 inspected by					
If "N" is answered above, fill out the corrective action form					
on the back of this calendar					

<sup>\*</sup>Keep receipts in envelope at back of calendar.



# **JUNE 2025**



Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1	2	3	4 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	5	6	7
8	9	10	11  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	12	13	14
15 Father's Day	16	17	18 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	Juneteenth	20	21
22	23	24	25  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	26	27	28
29	30	1	2	3	4	5







PERC PURCHASE RUNNING TOTAL							
12-month total from last	month (June '25)	=					
Subtract perc purchased J	uly '24 (see pg. 5)	=					
Subtotal		=					
This month's perc purchas	es*						
Date	Gallons						
July 2025 perc total							
Current 12-month running total (Subtotal + July 2025 total)							

<sup>\*</sup>Keep receipts in envelope at back of calendar.

CAF	CARBON ABSORBER/CONDENSER MONITORING LOG See "Instructions for Use" on Page 2							
Date	Perc Concentration	During Dry High pressure reading (psi or bar)	Low pressure reading (psi or bar)	ls pressure within manufacturing range?	Outlet temp during cool down	Is temp less than or equal to 45°F (7.2°C)?		
7/2				Y / N		Y / N		
7/9				Y / N		Y / N		
7/16				Y / N		Y / N		
7/23				Y / N		Y / N		
7/30				Y / N		Y / N		

DATE	WEEKLY INSPECTION				
TIME					
HAZARDOUS WASTI			<u> </u>	L	
Are containers in good cond		Y/N	Y/N	Y/N	Y / N
Are waste containers made		Y/N	Y/N	Y/N	Y / N
Are containers tightly closed	····	Y/N	Y/N	Y/N	Y / N
Are individual containers cle waste was first put into the	arly labeled as "Hazardous Waste" and the date container?	Y/N	Y / N	Y / N	Y / N
CONTAINMENT ARE	A	•			
Is wastewater stored no long	ger than 60 days?	Y/N	Y/N	Y/N	Y / N
Is secondary containment arou	und each machine in good condition?	Y/N	Y/N	Y/N	Y / N
Is hazardous waste and solver	nt storage secondary containment in good condition?	Y/N	Y/N	Y/N	Y/N
ARE THE FOLLOWIN	G ITEMS LEAK-FREE?				
Method of inspection (S or E	)**)	S/D	S/D	S/D	S/D
Hose and pipe connections,	fittings, couplings and valves	Y/N	Y/N	Y/N	Y/N
Door gasket and seal		Y/N	Y/N	Y/N	Y / N
Pump		Y/N	Y/N	Y/N	Y / N
Solvent tank and containers		Y/N	Y/N	Y/N	Y/N
Water separator		Y/N	Y/N	Y/N	Y/N
Muck cooker		Y/N	Y/N	Y/N	Y/N
Still		Y/N	Y/N	Y/N	Y/N
Exhaust damper		Y/N	Y/N	Y/N	Y/N
Diverter valve		Y/N	Y/N	Y/N	Y/N
Filter gasket and seal	Y/N	Y/N	Y/N	Y/N	
Cartridge filter housing		Y/N	Y/N	Y/N	Y / N
**S= SIGHT, SMELL OR FEEL D= DETECTOR (REQUIRED AT LEAST					
ONCE EACH MONTH)  Week 3 inspected by					
f "N" is answered above, fill					

out the corrective action form on the back of this calendar.

Week 5 inspected by \_\_\_\_\_



# JULY 2025



Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
29	30	1	WEEKLY INSPECTION ☐  CARBON ADSORBER/ CONDENSER LOG ☐	3	4 Independence Day	5
6	7	8	9 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	10	11	12
13	14	15	16  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	17	18	19
20	21	22	23 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	24	25	26
27	28	29	30 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	31	1	2



Have an emergency plan for dealing with solvent spills? Prevent leaks and spills from leaving the property by keeping a spill clean-up kit nearby. Also, be sure to fill in the Emergency Response page (back of the calendar) and post it where employees or customers can see whom to call.



# **AUGUST**

PERC PURCHASE RUNNING TOTAL								
12-month total from last r	month (July '25)	=						
Subtract perc purchased A	ug. '24 (see pg. 5)	=						
Subtotal		=						
This month's perc purchases*								
Date	Gallons							
August 2025 perc total								
Current 12-month running total (Subtotal + August 2025 total)								

CAF	CARBON ABSORBER/CONDENSER MONITORING LOG See "Instructions for Use" on Page 2							
Date	Perc Concentration	During Dry High pressure reading (psi or bar)	Low pressure reading (psi or bar)	Is pressure within manufacturing range?	Outlet temp during cool down	Is temp less than or equal to 45°F (7.2°C)?		
8/6				Y / N		Y / N		
8/13				Y / N		Y / N		
8/20				Y / N		Y / N		
8/27				Y / N		Y / N		

	WEEKLY INSPECTION				
DATE					
TIME					
HAZARDOUS WASTI					
Are containers in good condi	tion?	Y/N	Y/N	Y/N	Y / N
Are waste containers made of	of appropriate material?	Y/N	Y/N	Y/N	Y/N
Are containers tightly closed	?	Y/N	Y/N	Y/N	Y/N
Are individual containers clea	arly labeled as "Hazardous Waste" and the date	Y/N	Y / N	Y / N	Y/N
waste was first put into the o	container?	1 / IN	1 / N	1 / N	1 / N
CONTAINMENT AREA	Α			,	
Is wastewater stored no long	er than 60 days?	Y / N	Y/N	Y/N	Y/N
Is secondary containment arou	nd each machine in good condition?	Y/N	Y/N	Y/N	Y / N
Is hazardous waste and solver	at storage secondary containment in good condition?	Y/N	Y/N	Y/N	Y / N
ARE THE FOLLOWING	G ITEMS LEAK-FREE?				
Method of inspection (S or D	**)	S/D	S/D	S/D	S/D
Hose and pipe connections,	fittings, couplings and valves	Y/N	Y/N	Y/N	Y / N
Door gasket and seal		Y/N	Y/N	Y/N	Y / N
Pump		Y/N	Y/N	Y/N	Y/N
Solvent tank and containers		Y/N	Y/N	Y/N	Y / N
Water separator		Y/N	Y/N	Y/N	Y/N
Muck cooker		Y/N	Y/N	Y/N	Y/N
Still		Y / N	Y/N	Y/N	Y/N
Exhaust damper		Y / N	Y/N	Y/N	Y/N
Diverter valve		Y/N	Y/N	Y/N	Y/N
Filter gasket and seal		Y/N	Y/N	Y/N	Y / N
Cartridge filter housing		Y/N	Y/N	Y/N	Y/N
**S= SIGHT, SMELL OR FEEL D= DETECTOR (REQUIRED AT LEAST ONCE EACH MONTH)	Week 1 inspected by			, -	
If "N" is answered above, fill out the corrective action form on the back of this calendar.	Week 3 inspected by				

<sup>\*</sup>Keep receipts in envelope at back of calendar.



# AUGUST 2025



Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
27	28	29	30	31	1	2
3	4	5	6 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	7	8	9
10	11	12	WEEKLY INSPECTION ☐  CARBON ADSORBER/ CONDENSER LOG ☐	14	15	16
17	18	19	20 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	21	22	23
24 31	25	26	27  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	28	29	30



Label hazardous waste containers with "Hazardous Waste" and mark labels with the accumulation start date (the date you first put waste into the container).



# SEPTEMBER

PERC PURCHASE RUNNING TOTAL									
12-month total from last r	nonth (Aug. '25)	=							
Subtract perc purchased S	ept. '24 (see pg. 5)	=							
Subtotal									
This month's perc purchases*									
Date	Gallons								
September 2025 perc total									
Current 12-month running total (Subtotal + September 2025 total)									

CAF	CARBON ABSORBER/CONDENSER MONITORING LOG See "Instructions for Use" on Page 2							
Date	Perc Concentration	During Dry High pressure reading (psi or bar)	Low pressure reading (psi or bar)	Is pressure within manufacturing range?	Outlet temp during cool down	Is temp less than or equal to 45°F (7.2°C)?		
9/3				Y / N		Y/N		
9/10				Y / N		Y / N		
9/17				Y / N		Y / N		
9/24				Y / N		Y / N		

	WEEKLY INSPECTION				
DATE					
TIME					
HAZARDOUS WASTE		•	•		
Are containers in good condi	tion?	Y/N	Y/N	Y/N	Y / N
Are waste containers made o	f appropriate material?	Y/N	Y/N	Y/N	Y/N
Are containers tightly closed?		Y/N	Y/N	Y/N	Y / N
Are individual containers clea waste was first put into the c	rly labeled as "Hazardous Waste" and the date ontainer?	Y / N	Y/N	Y / N	Y / N
CONTAINMENT AREA	1		•		
Is wastewater stored no long	er than 60 days?	Y/N	Y/N	Y/N	Y / N
Is secondary containment arou	nd each machine in good condition?	Y/N	Y/N	Y/N	Y/N
Is hazardous waste and solven	t storage secondary containment in good condition?	Y/N	Y/N	Y/N	Y/N
ARE THE FOLLOWING	G ITEMS LEAK-FREE?				
Method of inspection (S or D	**)	S/D	S/D	S/D	S/D
Hose and pipe connections, f	ittings, couplings and valves	Y/N	Y/N	Y/N	Y/N
Door gasket and seal		Y/N	Y/N	Y/N	Y/N
Pump		Y/N	Y/N	Y/N	Y / N
Solvent tank and containers		Y/N	Y/N	Y/N	Y/N
Water separator		Y/N	Y/N	Y/N	Y / N
Muck cooker		Y/N	Y/N	Y/N	Y/N
Still		Y/N	Y/N	Y/N	Y / N
Exhaust damper		Y/N	Y/N	Y/N	Y/N
Diverter valve		Y/N	Y/N	Y/N	Y/N
Filter gasket and seal		Y / N	Y/N	Y/N	Y/N
Cartridge filter housing		Y/N	Y/N	Y/N	Y/N
**S= SIGHT, SMELL OR FEEL D= DETECTOR (REQUIRED AT LEAST ONCE EACH MONTH)	Week 1 inspected by				
If "N" is answered above, fill out the corrective action form on the back of this calendar.	Week 3 inspected by Week 4 inspected by				

<sup>\*</sup>Keep receipts in envelope at back of calendar.

# 

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
31	1 Labor Day	2	3 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	4	5	6
7	8	9	10  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	11	12	13
14	15	16	17  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	18	19	20
21	22	23	24  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	25	26	27
28	29	30	1	2	3	4





# OCTOBER

PERC PURCHASE RUNNING TOTAL							
12-month total from last	month (Sept. '25)	=					
Subtract perc purchased C	oct. '24 (see pg. 5)	=					
Subtotal							
This month's perc purchases*							
Date	Gallons						
October 2025 perc total							
Current 12-month running total (Subtotal + October 2025 total)							

CAF	CARBON ABSORBER/CONDENSER MONITORING LOG See "Instructions for Use" on Page 2							
Date	Perc Concentration	During Dry High pressure reading (psi or bar)	Low pressure reading (psi or bar)	Is pressure within manufacturing range?	Outlet temp during cool down	Is temp less than or equal to 45°F (7.2°C)?		
10/1				Y / N		Y / N		
10/8				Y / N		Y / N		
10/15				Y / N		Y / N		
10/22				Y / N		Y / N		
10/29				Y / N		Y / N		

	WEEKLY INSPECTION				
DATE					
TIME					
HAZARDOUS WASTI		,			
Are containers in good condi	tion?	Y/N	Y/N	Y/N	Υ/
Are waste containers made of	of appropriate material?	Y/N	Y/N	Y/N	Υ/
Are containers tightly closed	?	Y/N	Y/N	Y/N	Υ/
Are individual containers clear waste was first put into the	arly labeled as "Hazardous Waste" and the date container?	Y / N	Y / N	Y / N	Υ/
CONTAINMENT ARE	A				
Is wastewater stored no long	ger than 60 days?	Y/N	Y/N	Y/N	Υ/
ls secondary containment arou	nd each machine in good condition?	Y/N	Y/N	Y/N	Υ/
Is hazardous waste and solver	nt storage secondary containment in good condition?	Y/N	Y/N	Y/N	Υ/
ARE THE FOLLOWIN	G ITEMS LEAK-FREE?				
Method of inspection (S or D	**)	S/D	S/D	S/D	S/
Hose and pipe connections,	fittings, couplings and valves	Y/N	Y/N	Y/N	Υ/
Door gasket and seal		Y/N	Y/N	Y/N	Υ/
Pump		Y/N	Y/N	Y/N	Υ/
Solvent tank and containers		Y/N	Y/N	Y/N	Υ/
Water separator		Y/N	Y/N	Y/N	Υ/
Muck cooker		Y/N	Y/N	Y/N	Υ/
Still		Y/N	Y/N	Y/N	Υ/
Exhaust damper		Y/N	Y/N	Y/N	Υ/
Diverter valve		Y/N	Y/N	Y/N	Υ/
Filter gasket and seal		Y/N	Y/N	Y/N	Υ/
Cartridge filter housing		Y/N	Y/N	Y/N	Υ/
**S= SIGHT, SMELL OR FEEL	Week 1 inspected by				
D= DETECTOR (REQUIRED AT LEAST ONCE EACH MONTH)					
f "N" is answered above, fill	Week 4 inspected by				
out the corrective action form on the back of this calendar.	Week 4 inspected by Week 5 inspected by				

<sup>\*</sup>Keep receipts in envelope at back of calendar.



# OCTOBER 2025



Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
28	29	30	1 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	2	3	4
5	6	7	8  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	9	10	11
12	13  Columbus Day	14	15  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	16	17	18
19	20	21	WEEKLY INSPECTION ☐  CARBON ADSORBER/ CONDENSER LOG ☐	23	24	25
26	27	28	29  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	30	31 Halloween	1



For a facility closing or not operating for 45 continuous days, remove dry-cleaning solvents and wastes and notify KDHE. For more details, see page 7 of the Kansas Dry-Cleaner Manual (www.sbeap.org/sites/sbeap/files/publications/drycleaner-manual-22.pdf).



# NOVEMBER

PERC PURCHASE RUNNING TOTAL							
12-month total from last r	nonth (Oct. '25)	=					
Subtract perc purchased N	ov. '24 (see pg. 5)	=					
Subtotal		=					
This month's perc purchases*							
Date	Gallons						
November 2025 perc total							
Current 12-month running total (Subtotal + November 2025 total)							

CAF	CARBON ABSORBER/CONDENSER MONITORING LOG See "Instructions for Use" on Page 2							
Date	Perc Concentration	During Dry High pressure reading (psi or bar)	Low pressure reading (psi or bar)	Is pressure within manufacturing range?	Outlet temp during cool down	Is temp less than or equal to 45°F (7.2°C)?		
11/5				Y / N		Y / N		
11/12				Y / N		Y / N		
11/19				Y / N		Y / N		
11/26				Y / N		Y / N		

WEEKLY INSPECTION		1	1	
DATE				
TIME				
HAZARDOUS WASTE				
Are containers in good condition?	Y/N	Y/N	Y/N	Y/N
Are waste containers made of appropriate material?	Y/N	Y/N	Y/N	Y/N
Are containers tightly closed?	Y/N	Y/N	Y/N	Y/N
Are individual containers clearly labeled as "Hazardous Waste" and the date waste was first put into the container?	Y/N	Y/N	Y/N	Y/N
CONTAINMENT AREA				
Is wastewater stored no longer than 60 days?	Y/N	Y/N	Y/N	Y/N
Is secondary containment around each machine in good condition?	Y/N	Y/N	Y/N	Y/N
Is hazardous waste and solvent storage secondary containment in good condition?	Y/N	Y/N	Y/N	Y/N
ARE THE FOLLOWING ITEMS LEAK-FREE?				
Method of inspection (S or D**)	S/D	S/D	S/D	S/D
Hose and pipe connections, fittings, couplings and valves	Y/N	Y/N	Y/N	Y/N
Door gasket and seal	Y/N	Y/N	Y/N	Y/N
Pump	Y/N	Y/N	Y/N	Y/N
Solvent tank and containers	Y/N	Y/N	Y/N	Y / N
Water separator	Y/N	Y/N	Y/N	Y/N
Muck cooker	Y/N	Y/N	Y/N	Y/N
Still	Y/N	Y/N	Y/N	Y/N
Exhaust damper	Y/N	Y/N	Y/N	Y/N
Diverter valve	Y/N	Y/N	Y/N	Y/N
Filter gasket and seal	Y/N	Y/N	Y/N	Y/N
Cartridge filter housing	Y/N	Y/N	Y/N	Y/N
**S= SIGHT, SMELL OR FEEL Week 1 inspected by D= DETECTOR (REQUIRED AT LEAST ONCE EACH MONTH)  Week 2 inspected by				
If "N" is answered above, fill out the corrective action form on the back of this calendar  Week 4 inspected by  Week 4 inspected by				

<sup>\*</sup>Keep receipts in envelope at back of calendar.



Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
26	27	28	29	30	31	1
2	3	4  Election Day	5  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	6	7	8
9	10	11 Veterans Day	12  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	13	14	15
16	17	18	19 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	20	21	22
23 30	24	25	26  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □	27 Thanksgiving Day	28	29





# **DECEMBER**

PERC PURCHASE RUNNING TOTAL								
12-month total from last i	month (Nov. '25)	=						
Subtract perc purchased D	ec. '24 (see pg. 5)	=						
Subtotal								
This month's perc purchases*								
Date	Gallons							
December 2025 pe	=							
Current 12-month running total (Subtotal + December 2025 total)								

CARBON ABSORBER/CONDENSER MONITORING LOG See "Instructions for Use" on Page 2						
Date	Perc Concentration	During Dry High pressure reading (psi or bar)	Low pressure reading (psi or bar)	ls pressure within manufacturing range?	Outlet temp during cool down	Is temp less than or equal to 45°F (7.2°C)?
12/3				Y / N		Y / N
12/10				Y / N		Y / N
12/17				Y / N		Y / N
12/24				Y / N		Y / N
12/31				Y / N		Y / N

TIME HAZARDOUS WASTE Are containers in good condit Are waste containers made of	tion?				
HAZARDOUS WASTE Are containers in good condi	tion?	<u> </u>			•
Are containers in good condi	tion?	1			
		Y/N	Y/N	Y/N	Y / N
	ii appropriate iiiateriai:	Y/N	-	Y/N	
Are containers tightly closed		Y/N	Y/N	Y/N	Y / N
Are individual containers clea waste was first put into the c	Y/N	Y / N	Y / N	Y / N	
CONTAINMENT AREA	A				
ls wastewater stored no long	er than 60 days?	Y/N	Y/N	Y/N	Y / N
Is secondary containment arou	nd each machine in good condition?	Y/N	Y/N	Y/N	Y / N
Is hazardous waste and solven	t storage secondary containment in good condition?	Y/N	Y/N	Y/N	Y / N
ARE THE FOLLOWING	G ITEMS LEAK-FREE?				
Method of inspection (S or D	**)	S/D	S/D	S/D	S / C
Hose and pipe connections, f	ittings, couplings and valves	Y/N	Y/N	Y/N	Y / N
Door gasket and seal		Y/N	Y/N	Y/N	Y / N
Pump		Y/N	Y/N	Y/N	Y / N
Solvent tank and containers		Y/N	Y/N	Y/N	Y / N
Water separator		Y/N	Y/N	Y/N	Y / N
Muck cooker		Y/N	Y/N	Y/N	Y / N
Still		Y/N	Y/N	Y/N	Y / N
Exhaust damper		Y/N	Y/N	Y/N	Y / N
Diverter valve		Y/N	Y/N	Y/N	Y / N
Filter gasket and seal		Y/N	Y/N	Y/N	Y / N
Cartridge filter housing		Y/N	Y/N	Y/N	Y / N
*S= SIGHT, SMELL OR FEEL	Week 1 inspected by				
D= DETECTOR (REQUIRED AT LEAST ONCE EACH MONTH)	Week 2 inspected by				
,	Week 3 inspected by				
f "N" is answered above, fill out the corrective action form on the back of this calendar.	Week 4 inspected by Week 5 inspected by				

<sup>\*</sup>Keep receipts in envelope at back of calendar.



# DECEMBER 2025



Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
30	1	2	WEEKLY INSPECTION ☐  CARBON ADSORBER/ CONDENSER LOG ☐	4	5	6
7	8	9	10 WEEKLY INSPECTION □ CARBON ADSORBER/ CONDENSER LOG □	11	12	13
14	15	16	WEEKLY INSPECTION ☐  CARBON ADSORBER/ CONDENSER LOG ☐	18	19	20
21	22	23	24  WEEKLY INSPECTION □  CARBON ADSORBER/ CONDENSER LOG □  Christmas Eve	25 Christmas Day	26	27
28	29	30	WEEKLY INSPECTION ☐  CARBON ADSORBER/ CONDENSER LOG ☐  New Year's Eve	1	2	3





# Corrective action forms—keep these records for five years.

If a leak is discovered after inspecting hazardous waste storage containers and secondary containment structures, repair within five days. Record details of corrective action below:	If a leak is discovered after inspecting hazardous waste storage containers and secondary containment structures, repair within five days. Record details of corrective action below:
Area of leak:	Area of leak:
Date of initial inspection:	Date of initial inspection:
Inspector:	Inspector:
Date problem was corrected:	Date problem was corrected:
Describe problem and solution:	Describe problem and solution:
Use this form when corrective actions are necessary.	Use this form when corrective actions are necessary.

### Pollution Prevention Guidelines

(Perc cleaners)

- Close machine doors immediately after transferring articles to or from the machines.
- Keep machine doors closed between transfers.
- Follow the manufacturer's instructions for operating and maintaining machines and equipment.
- Drain cartridge filters in a closed container for at least 24 hours before disposing.
- Store all perc and wastes in sealed containers that do not leak.
- Inspect all dry-cleaning equipment at least weekly for any leaks that are obvious by sight, smell or touch.
  - Leaks include instances where drops of perc are visible on the outside of a machine or where air can be felt coming from a machine. (Existing, small-area sources need to be inspected every other week.)
  - Dry-cleaning equipment includes hoses, pipes, fittings, couplings, valves, gaskets, seals, pumps, solvent tanks and containers, water separators, muck cookers, stills, diverter valves and cartridge filter housings.
- At least one weekly inspection each month must be done using a halogenated hydrocarbon detector or a perc gas analyzer.
- Repair any leaks within 24 hours or, if repair parts must be ordered, within five days of receiving the parts. Parts must be ordered within two working days of finding the leak.
- Keep copies of design specifications and operating manuals for each dry-cleaning machine.

### HEADS UP ON A PROPOSED RULE CHANGE!

Perc is being phased out of the dry-clean industry. Facilities that own third generation\* or older dry-cleaning machines may have to stop using perc or switch to alternate solvents within three years. Newer machines (non-vented with secondary vapor control) may have ten years to make the change. Note that this rule is still in the proposed stage as of the issuance of this calendar. Check the Kansas SBEAP website for updates once the rule is final at www.sbeap.org/dry-cleaners.

\*A closed-loop dry cleaning machine equipped with a refrigerated condenser and has an external door that vents to the outside air upon completion of the cleaning cycle.

# Waste Determination Documentation Form

It is strongly recommended that the guidance in this TGD (HW-2011-G1) and HW-2011-G2, *Characteristic and Listed Hazardous Wastes*, be reviewed when making waste determinations.

Step 1
Facility Name: EPA ID:
Waste Name:
Process Generating Waste:
Maximum pounds generated in a calendar month:
Waste description (Mark all that apply): Solid ☐ Liquid ☐ Gas ☐ Sludge ☐
Step 2 (check one and explain under Description of knowledge used in Step 4)
☐ Waste is generated in an industrial, construction, manufacturing, repair or similar setting and is subject to the hazardous waste determination requirements of 40 CFR 262.11. (If checked, continue to Step 3)
Waste does not meet the definition of solid waste under 40 CFR 261.4(a) from the definition of solid waste (e.g., is regulated discarded, abandoned, recycled or inherently under the Clean Water Act or other edict, or waste-like).
Step 3 (check one and explain under Description of knowledge used in Step 4)
☐ Waste is a nonhazardous waste ☐ Waste is a hazardous waste
☐ Waste is excluded under 40 CFR 261.4(b) from the definition of hazardous waste (wastes from specific sources, and/or meeting specific management practices)
Step 3a – If a hazardous waste (check all that apply)
Step 4 (check all that apply)
All applicable waste codes:
Determination was made using analysis by KDHE-certified laboratory (as required by K.A.R. 28-31-262(c)(2)).
Laboratory Name: Analytical Report Date:
☐ Determination was made using process knowledge.
Required: All records used to make the determination (Safety Data Sheet (SDS), process description/flow diagrams, etc.) are attached or otherwise maintained on site.
Determination was made by:
Name Title Date



### Pollution Prevention Institute

2323 Anderson Ave., Suite 300 Manhattan, KS 66502 337-002