


MISSOURI



**NATURAL
RESOURCES**

**2025
Dry Cleaning
Compliance Calendar**



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

LEGEND OF TERMS

APCP or air program - Air Pollution Control Program

EIQ - Emissions Inventory Questionnaire


EPA - Environmental Protection Agency

ERP - Environmental Remediation Program

NESHAP - National Emission Standards for Hazardous Air Pollutants

Perc- Perchloroethylene

SQG - Small Quantity Generators



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

Dry Cleaning Compliance Calendar: Instructions for Use

This calendar helps dry cleaners keep records required by the Missouri Department of Natural Resources. The checklists cover requirements for EPA's national emission standards for hazardous air pollutants for dry cleaners. The department recommends dry cleaners:

- * Maintain records of purchases and waste removal.
- * Keep completed calendars on site for five years.
- * If the answer is "yes" to any inspection questions, document what the dry cleaner did to correct the problem(s).

Running Total of Perchloroethylene (Perc) Consumption Example for January 2025

12-month total from last month	75
Subtract perc purchased Jan 2024	15
Subtotal	60

This month's perc purchases*

Purchase Date	Gallons
January 1	10
January 22	15

January perc total	25	This is the amount of perc purchased for this month, January 2025.
Current 12-month running total (Subtotal + January 2025 total)	85	This is the 12-month running total. Carry this number over to next month's calendar page.

Insert 12-month running total from last month, that is, from Jan. 1, 2024, through Dec. 31, 2024.

Subtract perc purchased during this month last year. In this example, the dry cleaner purchased 15 gallons in January 2024.

This is the amount of perc purchased during the last 11 months.

If a dry cleaner purchases less than 140 gallons of perc/yr., then...

- Weekly: Check outlet temperature of refrigerated condenser or refrigeration pressure difference during drying phase per operating instructions. (Not required if not constructed after Dec. 9, 1991.)
- Every other week: Check machine for leaks while it is running.
- Monthly: Use halogenated hydrocarbon leak detector or perc gas analyzer to perform leak checks.
- Always: record results of leak checks.

If dry cleaner purchases between 140 and 2,100 gallons perc/yr., then...

- Weekly: Check outlet temperature of refrigerated condenser or refrigeration pressure difference during drying phase per operating instructions
- Weekly: Check machine for leaks.
- Monthly: Use halogenated hydrocarbon leak detector or perc gas analyzer to perform leak checks.
- Always: record results of leak checks

If dry cleaner purchases more than 2,100 gallons of perc/yr., then...

- Weekly: Check outlet temperature of refrigerated condenser or refrigeration pressure difference during drying phase per operating instructions.
- Weekly: Check machine for leaks.
- Monthly: Use perc gas analyzer to perform leak checks.
- Always: record results of leak checks.

January 2025

Weekly Inspection


Are the following items leaking? Staff Initials	Jan 03, 2025	Jan 10, 2025	Jan 17, 2025	Jan 24, 2025	Jan 31, 2025	Date Parts Ordered	Date Parts Received	Date Repaired	Description of Repair *
Hose and pipe connections, fittings, couplings and valves	Y N	Y N	Y N	Y N	Y N				
Door gasket and seal	Y N	Y N	Y N	Y N	Y N				
Pump	Y N	Y N	Y N	Y N	Y N				
Solvent tanks and containers	Y N	Y N	Y N	Y N	Y N				
Water separator	Y N	Y N	Y N	Y N	Y N				
Muck cooker	Y N	Y N	Y N	Y N	Y N				
Still	Y N	Y N	Y N	Y N	Y N				
Exhaust damper	Y N	Y N	Y N	Y N	Y N				
Diverter valve	Y N	Y N	Y N	Y N	Y N				
Filter gasket and seal	Y N	Y N	Y N	Y N	Y N				
Cartridge filter housing	Y N	Y N	Y N	Y N	Y N				
If gauges present - high/low pressure within range	Y N	Y N	Y N	Y N	Y N				
Evaporator / mister	Y N	Y N	Y N	Y N	Y N				
Method of inspection (S = Feel, sight or smell; D = Detector)	S D	S D	S D	S D	S D				
Carbon adsorber – Perc less than 100 PPMV (as needed)	Y N	Y N	Y N	Y N	Y N				

Refrigerated Condenser Temperature

Perc Consumption Running Total

*Keep Receipts

Date	Temperature	12-month total from last month =	gal.
Jan 03, 2025		Subtract perc purchased January 2024 =	gal.
Jan 10, 2025			Subtotal = gal.
Jan 17, 2025		This month's perc purchases*	
Jan 24, 2025		Purchase Date	Gallons
Jan 31, 2025			
If temperature is above 45° F (7.2°C), document what is done to correct the problem.		January perc total = gal.	
		Current 12-month running total (Subtotal + January total) = gal.	



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

January 2025

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
			1	2	Inspection <input type="checkbox"/> 3 Condenser Temperature <input type="checkbox"/>	4
5	6	7	8	9	Inspection <input type="checkbox"/> 10 Condenser Temperature <input type="checkbox"/>	11
12	13	14	15	16	Inspection <input type="checkbox"/> 17 Condenser Temperature <input type="checkbox"/>	18
19	20	21	22	23	Inspection <input type="checkbox"/> 24 Condenser Temperature <input type="checkbox"/>	25
26	27	28	29	30	Advanced Leak Detection <input type="checkbox"/> 31 Condenser Temperature <input type="checkbox"/>	

Notes:

February 2025

Weekly Inspection


Are the following items leaking? Staff Initials	Feb 07, 2025	Feb 14, 2025	Feb 21, 2025	Feb 28, 2025	Date Parts Ordered	Date Parts Received	Date Repaired	Description of Repair *
Hose and pipe connections, fittings, couplings and valves	Y N	Y N	Y N	Y N				
Door gasket and seal	Y N	Y N	Y N	Y N				
Pump	Y N	Y N	Y N	Y N				
Solvent tanks and containers	Y N	Y N	Y N	Y N				
Water separator	Y N	Y N	Y N	Y N				
Muck cooker	Y N	Y N	Y N	Y N				
Still	Y N	Y N	Y N	Y N				
Exhaust damper	Y N	Y N	Y N	Y N				
Diverter valve	Y N	Y N	Y N	Y N				
Filter gasket and seal	Y N	Y N	Y N	Y N				
Cartridge filter housing	Y N	Y N	Y N	Y N				
If gauges present - high/low pressure within range	Y N	Y N	Y N	Y N				
Evaporator / mister	Y N	Y N	Y N	Y N				
Method of inspection (S = Feel, sight or smell; D = Detector)	S D	S D	S D	S D				
Carbon adsorber – Perc less than 100 PPMV (as needed)	Y N	Y N	Y N	Y N				

Refrigerated Condenser Temperature

Perc Consumption Running Total

***Keep Receipts**

Date	Temperature	12-month total from last month =	gal.	
Feb 07, 2025		Subtract perc purchased February 2024 =	gal.	
Feb 14, 2025			Subtotal =	gal.
Feb 21, 2025		This month's perc purchases*		
Feb 28, 2025		Purchase Date	Gallons	
If temperature is above 45° F (7.2°C), document what is done to correct the problem.		February perc total =		gal.
		Current 12-month running total (Subtotal + February total) =		gal.



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

February 2025

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
						1
2	3	4	5	6	Inspection <input type="checkbox"/> 7 Condenser Temperature <input type="checkbox"/>	8
9	10	11	12	13	Inspection <input type="checkbox"/> 14 Condenser Temperature <input type="checkbox"/>	15
16	17	18	19	20	Inspection <input type="checkbox"/> 21 Condenser Temperature <input type="checkbox"/>	22
23	24	25	26	27	Advanced Leak Detection <input type="checkbox"/> 28 Condenser Temperature <input type="checkbox"/>	

Notes:

March 2025

Weekly Inspection


Are the following items leaking? Staff Initials	Mar 07, 2025	Mar 14, 2025	Mar 21, 2025	Mar 28, 2025	Date Parts Ordered	Date Parts Received	Date Repaired	Description of Repair *
Hose and pipe connections, fittings, couplings and valves	Y N	Y N	Y N	Y N				
Door gasket and seal	Y N	Y N	Y N	Y N				
Pump	Y N	Y N	Y N	Y N				
Solvent tanks and containers	Y N	Y N	Y N	Y N				
Water separator	Y N	Y N	Y N	Y N				
Muck cooker	Y N	Y N	Y N	Y N				
Still	Y N	Y N	Y N	Y N				
Exhaust damper	Y N	Y N	Y N	Y N				
Diverter valve	Y N	Y N	Y N	Y N				
Filter gasket and seal	Y N	Y N	Y N	Y N				
Cartridge filter housing	Y N	Y N	Y N	Y N				
If gauges present - high/low pressure within range	Y N	Y N	Y N	Y N				
Evaporator / mister	Y N	Y N	Y N	Y N				
Method of inspection (S = Feel, sight or smell; D = Detector)	S D	S D	S D	S D				
Carbon adsorber – Perc less than 100 PPMV (as needed)	Y N	Y N	Y N	Y N				

Refrigerated Condenser Temperature

Perc Consumption Running Total

*Keep Receipts

Date	Temperature	12-month total from last month =	gal.	
Mar 07, 2025		Subtract perc purchased March 2024 =	gal.	
Mar 14, 2025			Subtotal =	gal.
Mar 21, 2025		This month's perc purchases*		
Mar 28, 2025		Purchase Date	Gallons	
If temperature is above 45° F (7.2°C), document what is done to correct the problem.		March perc total =		gal.
		Current 12-month running total (Subtotal + March total) =		gal.



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

March 2025

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
						1
2	3	4	5	6	Inspection <input type="checkbox"/> 7 Condenser Temperature <input type="checkbox"/>	8
9	10	11	12	13	Inspection <input type="checkbox"/> 14 Condenser Temperature <input type="checkbox"/>	15
16	17	18	19	20	Inspection <input type="checkbox"/> 21 Condenser Temperature <input type="checkbox"/>	22
23	24	25	26	27	Advanced Leak Detection <input type="checkbox"/> 28 Condenser Temperature <input type="checkbox"/>	29
30	31					

Notes:

April 2025

Weekly Inspection

Are the following items leaking? Staff Initials	Apr 04, 2025	Apr 11, 2025	Apr 18, 2025	Apr 25, 2025	Date Parts Ordered	Date Parts Received	Date Repaired	Description of Repair *
Hose and pipe connections, fittings, couplings and valves	Y N	Y N	Y N	Y N				
Door gasket and seal	Y N	Y N	Y N	Y N				
Pump	Y N	Y N	Y N	Y N				
Solvent tanks and containers	Y N	Y N	Y N	Y N				
Water separator	Y N	Y N	Y N	Y N				
Muck cooker	Y N	Y N	Y N	Y N				
Still	Y N	Y N	Y N	Y N				
Exhaust damper	Y N	Y N	Y N	Y N				
Diverter valve	Y N	Y N	Y N	Y N				
Filter gasket and seal	Y N	Y N	Y N	Y N				
Cartridge filter housing	Y N	Y N	Y N	Y N				
If gauges present - high/low pressure within range	Y N	Y N	Y N	Y N				
Evaporator / mister	Y N	Y N	Y N	Y N				
Method of inspection (S = Feel, sight or smell; D = Detector)	S D	S D	S D	S D				
Carbon adsorber – Perc less than 100 PPMV (as needed)	Y N	Y N	Y N	Y N				

Refrigerated Condenser Temperature

Perc Consumption Running Total

*Keep Receipts

Date	Temperature	12-month total from last month =	gal.
Apr 04, 2025		Subtract perc purchased April 2024 =	gal.
Apr 11, 2025			Subtotal = gal.
Apr 18, 2025		This month's perc purchases*	
Apr 25, 2025		Purchase Date	Gallons
If temperature is above 45° F (7.2°C), document what is done to correct the problem.		April perc total = gal.	
		Current 12-month running total (Subtotal + April total) = gal.	

April 2025

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
<p>April 1- Paper version of air program's Emissions Inventory Questionnaire (EIQ) due. (Note: Most dry cleaners are no longer required to submit EIQ.)**</p> <p>Air Program- Annual Compliance Certification due April 1 for Intermediate and Part 70 sources, as applicable.**</p>						
		1	2	3	Inspection <input type="checkbox"/> 4 Condenser Temperature <input type="checkbox"/>	5
6	7	8	9	10	Inspection <input type="checkbox"/> 11 Condenser Temperature <input type="checkbox"/>	12
13	14	15	16	17	Inspection <input type="checkbox"/> 18 Condenser Temperature <input type="checkbox"/>	19
20	21	22	23	24	Advanced Leak Detection <input type="checkbox"/> 25 Condenser Temperature <input type="checkbox"/>	26
27	28	29	30			

Notes:

**** If mailed, must be postmarked by the April 1 due date.**

May 2025

Weekly Inspection


Are the following items leaking? Staff Initials	May 02, 2025	May 09, 2025	May 16, 2025	May 23, 2025	May 30, 2025	Date Parts Ordered	Date Parts Received	Date Repaired	Description of Repair *
Hose and pipe connections, fittings, couplings and valves	Y N	Y N	Y N	Y N	Y N				
Door gasket and seal	Y N	Y N	Y N	Y N	Y N				
Pump	Y N	Y N	Y N	Y N	Y N				
Solvent tanks and containers	Y N	Y N	Y N	Y N	Y N				
Water separator	Y N	Y N	Y N	Y N	Y N				
Muck cooker	Y N	Y N	Y N	Y N	Y N				
Still	Y N	Y N	Y N	Y N	Y N				
Exhaust damper	Y N	Y N	Y N	Y N	Y N				
Diverter valve	Y N	Y N	Y N	Y N	Y N				
Filter gasket and seal	Y N	Y N	Y N	Y N	Y N				
Cartridge filter housing	Y N	Y N	Y N	Y N	Y N				
If gauges present - high/low pressure within range	Y N	Y N	Y N	Y N	Y N				
Evaporator / mister	Y N	Y N	Y N	Y N	Y N				
Method of inspection (S = Feel, sight or smell; D = Detector)	S D	S D	S D	S D	S D				
Carbon adsorber – Perc less than 100 PPMV (as needed)	Y N	Y N	Y N	Y N	Y N				

Refrigerated Condenser Temperature

Perc Consumption Running Total

*Keep Receipts

Date	Temperature	12-month total from last month =	gal.
May 02, 2025		Subtract perc purchased May 2024 =	gal.
May 09, 2025			Subtotal = gal.
May 16, 2025		This month's perc purchases*	
May 23, 2025		Purchase Date	Gallons
May 30, 2025			
If temperature is above 45° F (7.2°C), document what is done to correct the problem.		May perc total = gal.	
		Current 12-month running total (Subtotal + May total) = gal.	



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

May 2025

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
May 1- Submit electronic version of air program's Emissions Inventory Questionnaire (EIQ), if required (Note: most dry cleaners are no longer required to submit EIQ.)**				1	Inspection <input type="checkbox"/> 2 Condenser Temperature <input type="checkbox"/>	3
4	5	6	7	8	Inspection <input type="checkbox"/> 9 Condenser Temperature <input type="checkbox"/>	10
11	12	13	14	15	Inspection <input type="checkbox"/> 16 Condenser Temperature <input type="checkbox"/>	17
18	19	20	21	22	Inspection <input type="checkbox"/> 23 Condenser Temperature <input type="checkbox"/>	24
25	26	27	28	29	Advanced Leak Detection <input type="checkbox"/> 30 Condenser Temperature <input type="checkbox"/>	31

Notes:

** If mailed, EIQ must be postmarked by the April 1 due date for paper submittals.

June 2025

Weekly Inspection


Are the following items leaking? Staff Initials	Jun 06, 2025	Jun 13, 2025	Jun 20, 2025	Jun 27, 2025	Date Parts Ordered	Date Parts Received	Date Repaired	Description of Repair *
Hose and pipe connections, fittings, couplings and valves	Y N	Y N	Y N	Y N				
Door gasket and seal	Y N	Y N	Y N	Y N				
Pump	Y N	Y N	Y N	Y N				
Solvent tanks and containers	Y N	Y N	Y N	Y N				
Water separator	Y N	Y N	Y N	Y N				
Muck cooker	Y N	Y N	Y N	Y N				
Still	Y N	Y N	Y N	Y N				
Exhaust damper	Y N	Y N	Y N	Y N				
Diverter valve	Y N	Y N	Y N	Y N				
Filter gasket and seal	Y N	Y N	Y N	Y N				
Cartridge filter housing	Y N	Y N	Y N	Y N				
If gauges present - high/low pressure within range	Y N	Y N	Y N	Y N				
Evaporator / mister	Y N	Y N	Y N	Y N				
Method of inspection (S = Feel, sight or smell; D = Detector)	S D	S D	S D	S D				
Carbon adsorber – Perc less than 100 PPMV (as needed)	Y N	Y N	Y N	Y N				

Refrigerated Condenser Temperature

Perc Consumption Running Total

*Keep Receipts

Date	Temperature	12-month total from last month =	gal.
Jun 06, 2025		Subtract perc purchased June 2024 =	gal.
Jun 13, 2025			Subtotal = gal.
Jun 20, 2025		This month's perc purchases*	
Jun 27, 2025		Purchase Date	Gallons
If temperature is above 45° F (7.2°C), document what is done to correct the problem.		June perc total =	gal.
		Current 12-month running total (Subtotal + June total) =	gal.



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

June 2025

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
June 1- Submit payment of EIQ emission fees to air program (Note: Most dry cleaners are no longer required to submit EIQ and emission fees.)**						
1	2	3	4	5	Inspection <input type="checkbox"/> 6 Condenser Temperature <input type="checkbox"/>	7
8	9	10	11	12	Inspection <input type="checkbox"/> 13 Condenser Temperature <input type="checkbox"/>	14
15	16	17	18	19	Inspection <input type="checkbox"/> 20 Condenser Temperature <input type="checkbox"/>	21
22	23	24	25	26	Advanced Leak Detection <input type="checkbox"/> 27 Condenser Temperature <input type="checkbox"/>	28
29	30					

Notes:

**** If mailed, must be postmarked by the June 1 due date.**



July 2025

Weekly Inspection


Are the following items leaking? Staff Initials	Jul 04, 2025	Jul 11, 2025	Jul 18, 2025	Jul 25, 2025	Date Parts Ordered	Date Parts Received	Date Repaired	Description of Repair *
Hose and pipe connections, fittings, couplings and valves	Y N	Y N	Y N	Y N				
Door gasket and seal	Y N	Y N	Y N	Y N				
Pump	Y N	Y N	Y N	Y N				
Solvent tanks and containers	Y N	Y N	Y N	Y N				
Water separator	Y N	Y N	Y N	Y N				
Muck cooker	Y N	Y N	Y N	Y N				
Still	Y N	Y N	Y N	Y N				
Exhaust damper	Y N	Y N	Y N	Y N				
Diverter valve	Y N	Y N	Y N	Y N				
Filter gasket and seal	Y N	Y N	Y N	Y N				
Cartridge filter housing	Y N	Y N	Y N	Y N				
If gauges present - high/low pressure within range	Y N	Y N	Y N	Y N				
Evaporator / mister	Y N	Y N	Y N	Y N				
Method of inspection (S = Feel, sight or smell; D = Detector)	S D	S D	S D	S D				
Carbon adsorber – Perc less than 100 PPMV (as needed)	Y N	Y N	Y N	Y N				

Refrigerated Condenser Temperature

Perc Consumption Running Total

*Keep Receipts

Date	Temperature	12-month total from last month =	gal.
Jul 04, 2025		Subtract perc purchased July 2024 =	gal.
Jul 11, 2025			Subtotal = gal.
Jul 18, 2025		This month's perc purchases*	
Jul 25, 2025		Purchase Date	Gallons
If temperature is above 45° F (7.2°C), document what is done to correct the problem.		July perc total = gal.	
		Current 12-month running total (Subtotal + July total) = gal.	



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

July 2025

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		1	2	3	Inspection <input type="checkbox"/> 4 Condenser Temperature <input type="checkbox"/>	5
6	7	8	9	10	Inspection <input type="checkbox"/> 11 Condenser Temperature <input type="checkbox"/>	12
13	14	15	16	17	Inspection <input type="checkbox"/> 18 Condenser Temperature <input type="checkbox"/>	19
20	21	22	23	24	Advanced Leak Detection <input type="checkbox"/> 25 Condenser Temperature <input type="checkbox"/>	26
27	28	29	30	31		

Notes:

August 2025

Weekly Inspection


Are the following items leaking? Staff Initials	Aug 01, 2025	Aug 08, 2025	Aug 15, 2025	Aug 22, 2025	Aug 29, 2025	Date Parts Ordered	Date Parts Received	Date Repaired	Description of Repair *
Hose and pipe connections, fittings, couplings and valves	Y N	Y N	Y N	Y N	Y N				
Door gasket and seal	Y N	Y N	Y N	Y N	Y N				
Pump	Y N	Y N	Y N	Y N	Y N				
Solvent tanks and containers	Y N	Y N	Y N	Y N	Y N				
Water separator	Y N	Y N	Y N	Y N	Y N				
Muck cooker	Y N	Y N	Y N	Y N	Y N				
Still	Y N	Y N	Y N	Y N	Y N				
Exhaust damper	Y N	Y N	Y N	Y N	Y N				
Diverter valve	Y N	Y N	Y N	Y N	Y N				
Filter gasket and seal	Y N	Y N	Y N	Y N	Y N				
Cartridge filter housing	Y N	Y N	Y N	Y N	Y N				
If gauges present - high/low pressure within range	Y N	Y N	Y N	Y N	Y N				
Evaporator / mister	Y N	Y N	Y N	Y N	Y N				
Method of inspection (S = Feel, sight or smell; D = Detector)	S D	S D	S D	S D	S D				
Carbon adsorber – Perc less than 100 PPMV (as needed)	Y N	Y N	Y N	Y N	Y N				

Refrigerated Condenser Temperature

Perc Consumption Running Total

*Keep Receipts

Date	Temperature	12-month total from last month =	gal.
Aug 01, 2025		Subtract perc purchased August 2024 =	gal.
Aug 08, 2025			Subtotal = gal.
Aug 15, 2025		This month's perc purchases*	
Aug 22, 2025		Purchase Date	Gallons
Aug 29, 2025			
If temperature is above 45° F (7.2°C), document what is done to correct the problem.		August perc total = gal.	
		Current 12-month running total (Subtotal + August total) = gal.	



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

August 2025

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
August 15- Small quantity generator Hazardous Waste summary report due annually. **					Inspection <input type="checkbox"/> 1 Condenser Temperature <input type="checkbox"/>	2
3	4	5	6	7	Inspection <input type="checkbox"/> 8 Condenser Temperature <input type="checkbox"/>	9
10	11	12	13	14	Inspection <input type="checkbox"/> 15 Condenser Temperature <input type="checkbox"/>	16
17	18	19	20	21	Inspection <input type="checkbox"/> 22 Condenser Temperature <input type="checkbox"/>	23
24	25	26	27	28	Advanced Leak Detection <input type="checkbox"/> 29 Condenser Temperature <input type="checkbox"/>	30
31						

Notes:

****If mailed, must be postmarked by the August 15 due date.**

September 2025

Weekly Inspection


Are the following items leaking? Staff Initials	Sep 05, 2025	Sep 12, 2025	Sep 19, 2025	Sep 26, 2025	Date Parts Ordered	Date Parts Received	Date Repaired	Description of Repair *
Hose and pipe connections, fittings, couplings and valves	Y N	Y N	Y N	Y N				
Door gasket and seal	Y N	Y N	Y N	Y N				
Pump	Y N	Y N	Y N	Y N				
Solvent tanks and containers	Y N	Y N	Y N	Y N				
Water separator	Y N	Y N	Y N	Y N				
Muck cooker	Y N	Y N	Y N	Y N				
Still	Y N	Y N	Y N	Y N				
Exhaust damper	Y N	Y N	Y N	Y N				
Diverter valve	Y N	Y N	Y N	Y N				
Filter gasket and seal	Y N	Y N	Y N	Y N				
Cartridge filter housing	Y N	Y N	Y N	Y N				
If gauges present - high/low pressure within range	Y N	Y N	Y N	Y N				
Evaporator / mister	Y N	Y N	Y N	Y N				
Method of inspection (S = Feel, sight or smell; D = Detector)	S D	S D	S D	S D				
Carbon adsorber – Perc less than 100 PPMV (as needed)	Y N	Y N	Y N	Y N				

Refrigerated Condenser Temperature

Perc Consumption Running Total

*Keep Receipts

Date	Temperature	12-month total from last month =	gal.
Sep 05, 2025		Subtract perc purchased September 2024 =	gal.
Sep 12, 2025			Subtotal = gal.
Sep 19, 2025		This month's perc purchases*	
Sep 26, 2025		Purchase Date	Gallons
If temperature is above 45° F (7.2°C), document what is done to correct the problem.		September perc total = gal.	
		Current 12-month running total (Subtotal + September total) = gal.	



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

September 2025

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	1	2	3	4	Inspection <input type="checkbox"/> 5 Condenser Temperature <input type="checkbox"/>	6
7	8	9	10	11	Inspection <input type="checkbox"/> 12 Condenser Temperature <input type="checkbox"/>	13
14	15	16	17	18	Inspection <input type="checkbox"/> 19 Condenser Temperature <input type="checkbox"/>	20
21	22	23	24	25	Advanced Leak Detection <input type="checkbox"/> 26 Condenser Temperature <input type="checkbox"/>	27
28	29	30				

Notes:

October 2025

Weekly Inspection


Are the following items leaking? Staff Initials	Oct 03, 2025	Oct 10, 2025	Oct 17, 2025	Oct 24, 2025	Oct 31, 2025	Date Parts Ordered	Date Parts Received	Date Repaired	Description of Repair *
Hose and pipe connections, fittings, couplings and valves	Y N	Y N	Y N	Y N	Y N				
Door gasket and seal	Y N	Y N	Y N	Y N	Y N				
Pump	Y N	Y N	Y N	Y N	Y N				
Solvent tanks and containers	Y N	Y N	Y N	Y N	Y N				
Water separator	Y N	Y N	Y N	Y N	Y N				
Muck cooker	Y N	Y N	Y N	Y N	Y N				
Still	Y N	Y N	Y N	Y N	Y N				
Exhaust damper	Y N	Y N	Y N	Y N	Y N				
Diverter valve	Y N	Y N	Y N	Y N	Y N				
Filter gasket and seal	Y N	Y N	Y N	Y N	Y N				
Cartridge filter housing	Y N	Y N	Y N	Y N	Y N				
If gauges present - high/low pressure within range	Y N	Y N	Y N	Y N	Y N				
Evaporator / mister	Y N	Y N	Y N	Y N	Y N				
Method of inspection (S = Feel, sight or smell; D = Detector)	S D	S D	S D	S D	S D				
Carbon adsorber – Perc less than 100 PPMV (as needed)	Y N	Y N	Y N	Y N	Y N				

Refrigerated Condenser Temperature

Perc Consumption Running Total

*Keep Receipts

Date	Temperature	12-month total from last month =	gal.	
Oct 03, 2025		Subtract perc purchased October 2024 =	gal.	
Oct 10, 2025				Subtotal = gal.
Oct 17, 2025		This month's perc purchases*		
Oct 24, 2025		Purchase Date	Gallons	
Oct 31, 2025				
If temperature is above 45° F (7.2°C), document what is done to correct the problem.		October perc total =		gal.
		Current 12-month running total (Subtotal + October total) =		gal.



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

October 2025

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
October 1- Submit Semi-Annual Monitoring Report to air program for Part 70 sources (Note: Most drycleaners are not Part 70 sources.)**			1	2	Inspection <input type="checkbox"/> 3 Condenser Temperature <input type="checkbox"/>	4
5	6	7	8	9	Inspection <input type="checkbox"/> 4 Condenser Temperature <input type="checkbox"/>	11
12	13	14	15	16	Inspection <input type="checkbox"/> 17 Condenser Temperature <input type="checkbox"/>	18
19	20	21	22	23	Inspection <input type="checkbox"/> 24 Condenser Temperature <input type="checkbox"/>	25
26	27	28	29	30	Advanced Leak Detection <input type="checkbox"/> 31 Condenser Temperature <input type="checkbox"/>	

Notes:

**** If mailed, must be postmarked by the October 1 due date.**

November 2025

Weekly Inspection


Are the following items leaking? Staff Initials	Nov 07, 2025	Nov 14, 2025	Nov 21, 2025	Nov 28, 2025	Date Parts Ordered	Date Parts Received	Date Repaired	Description of Repair *
Hose and pipe connections, fittings, couplings and valves	Y N	Y N	Y N	Y N				
Door gasket and seal	Y N	Y N	Y N	Y N				
Pump	Y N	Y N	Y N	Y N				
Solvent tanks and containers	Y N	Y N	Y N	Y N				
Water separator	Y N	Y N	Y N	Y N				
Muck cooker	Y N	Y N	Y N	Y N				
Still	Y N	Y N	Y N	Y N				
Exhaust damper	Y N	Y N	Y N	Y N				
Diverter valve	Y N	Y N	Y N	Y N				
Filter gasket and seal	Y N	Y N	Y N	Y N				
Cartridge filter housing	Y N	Y N	Y N	Y N				
If gauges present - high/low pressure within range	Y N	Y N	Y N	Y N				
Evaporator / mister	Y N	Y N	Y N	Y N				
Method of inspection (S = Feel, sight or smell; D = Detector)	S D	S D	S D	S D				
Carbon adsorber – Perc less than 100 PPMV (as needed)	Y N	Y N	Y N	Y N				

Refrigerated Condenser Temperature

Perc Consumption Running Total

*Keep Receipts

Date	Temperature	12-month total from last month =	gal.
Nov 07, 2025		Subtract perc purchased November 2024 =	gal.
Nov 14, 2025			Subtotal = gal.
Nov 21, 2025		This month's perc purchases*	
Nov 28, 2025		Purchase Date	Gallons
If temperature is above 45° F (7.2°C), document what is done to correct the problem.		November perc total = gal.	
		Current 12-month running total (Subtotal + November total) = gal.	



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

November 2025

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
						1
2	3	4	5	6	Inspection <input type="checkbox"/> 7 Condenser Temperature <input type="checkbox"/>	8
9	10	11	12	13	Inspection <input type="checkbox"/> 14 Condenser Temperature <input type="checkbox"/>	15
16	17	18	19	20	Inspection <input type="checkbox"/> 21 Condenser Temperature <input type="checkbox"/>	22
23	24	25	26	27	Advanced Leak Detection <input type="checkbox"/> 28 Condenser Temperature <input type="checkbox"/>	29
30						


Notes:

December 2025

Weekly Inspection

Are the following items leaking? Staff Initials	Dec 05, 2025	Dec 12, 2025	Dec 19, 2025	Dec 26, 2025	Date Parts Ordered	Date Parts Received	Date Repaired	Description of Repair *
Hose and pipe connections, fittings, couplings and valves	Y N	Y N	Y N	Y N				
Door gasket and seal	Y N	Y N	Y N	Y N				
Pump	Y N	Y N	Y N	Y N				
Solvent tanks and containers	Y N	Y N	Y N	Y N				
Water separator	Y N	Y N	Y N	Y N				
Muck cooker	Y N	Y N	Y N	Y N				
Still	Y N	Y N	Y N	Y N				
Exhaust damper	Y N	Y N	Y N	Y N				
Diverter valve	Y N	Y N	Y N	Y N				
Filter gasket and seal	Y N	Y N	Y N	Y N				
Cartridge filter housing	Y N	Y N	Y N	Y N				
If gauges present - high/low pressure within range	Y N	Y N	Y N	Y N				
Evaporator / mister	Y N	Y N	Y N	Y N				
Method of inspection (S = Feel, sight or smell; D = Detector)	S D	S D	S D	S D				
Carbon adsorber – Perc less than 100 PPMV (as needed)	Y N	Y N	Y N	Y N				

Refrigerated Condenser Temperature	Perc Consumption Running Total	*Keep Receipts	
Date	Temperature	12-month total from last month =	gal.
Dec 05, 2025		Subtract perc purchased December 2024 =	gal.
Dec 12, 2025			Subtotal = gal.
Dec 19, 2025		This month's perc purchases*	
Dec 26, 2025		Purchase Date	Gallons
If temperature is above 45° F (7.2°C), document what is done to correct the problem.		December perc total = gal.	
		Current 12-month running total (Subtotal + December total) = gal.	



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

December 2025

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
December 30- Payment due before January 1 of next calendar year for fees from annual Generator's Hazardous Waste Summary Report (report due in August).**						
	1	2	3	4	Inspection <input type="checkbox"/> 5 Condenser Temperature <input type="checkbox"/>	6
7	8	9	10	11	Inspection <input type="checkbox"/> 12 Condenser Temperature <input type="checkbox"/>	13
14	15	16	17	18	Inspection <input type="checkbox"/> 19 Condenser Temperature <input type="checkbox"/>	20
21	22	23	24	25	Advanced Leak Detection <input type="checkbox"/> 26 Condenser Temperature <input type="checkbox"/>	27
28	29	30	31			

Notes:

**** Must be postmarked by this date to avoid a late fee.**



Perc Cleaners Pollution Prevention Guidelines

- Close machine doors immediately after transferring articles to or from the machines.
- Keep machine doors closed between transfers.
- Follow the manufacturer's instructions for operating and maintaining machines and equipment.
- Drain cartridge filters in a closed container for at least 24 hours before disposing.
- Store all perc and wastes in sealed containers that do not leak.
- Inspect all dry cleaning equipment at least bi-weekly for any leaks that are obvious by sight, smell or touch. Leaks include instances where drops of perc are visible on the outside of a machine or where air can be felt coming from a machine. (Large area sources and major sources must be inspected weekly!) Dry cleaning equipment includes hoses, pipes, fittings, couplings, valves, gaskets, seals, pumps, solvent tanks and containers, water separators, muck cookers, stills, diverter valves and cartridge filter housings.
- Repair any leaks within 24 hours or, if repair parts must be ordered, within five days of receiving the parts. Order parts within two working days of finding the leak.
- Keep copies of design specifications and operating manuals for each dry cleaning machine.
- All new perc dry cleaners, commencing construction or reconstruction after Dec. 21, 2005, must add carbon adsorbers to non-vented, dry-to-dry machines with refrigerated condensers, according to federal rules.
- For more information, see the Dry Cleaners and The Clean Air Act fact sheet – PUB2201 on the department's website at <https://dnr.mo.gov/document-search/dry-cleaners-clean-air-act-pub2201/pub2201>.



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

Print your 2025 Dry Cleaning Compliance Calendar.

Download a free copy at <https://dnr.mo.gov/document-search/dry-cleaning-compliance-calendar-pub1310>.

(The Missouri Department of Natural Resources anticipates having the 2026 calendar available for download by 12/31/2025.)

For answers to questions, please contact:

Missouri Department of Natural Resources
Air Pollution Control Program
PO Box 176
Jefferson City, MO 65102-0176
800-361-4827
573-751-4817

Heads up on a recent final Federal rule change!

The federal rule changes include a ban for many uses of perchloroethylene, including as a solvent for the dry cleaning industry. As soon as December 12, 2027, older dry cleaning machines may have to stop using perchloroethylene or switch to alternate solvents [within three years once the final rule is published in the Federal Register]. Newer machines (equipped with a minimum of **both refrigerated condensers and carbon adsorbers** to recover solvent vapors) allowed up to ten years to stop using perchloroethylene. Limited use of perchloroethylene for spot cleaning only may be allowed, with qualifying conditions, during the three to ten year phaseout period.

Please note that this recent final Federal rule was signed (12/06/24) by the USEPA Administrator, but not officially final pending publish date in the Federal Register. As of the publish date of this calendar, the final Federal Register Notice is not yet complete. Additional Federal rule information (post publication in the Federal Register) is expected to be available at the following website no later than January 2025.

*See proposed Federal rule at: <https://www.epa.gov/assessing-and-managing-chemicals-under-tsca/risk-management-perchloroethylene-pce>